

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	32672	(pattern) with (ID identifier attribute)	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/06 12:05
L2	15529	(pattern) near5 (ID identifier attribute)	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/06 12:05
L3	14614793	@ad<"20031223" @!ad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 12:05
L4	8406	2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 12:06
L5	5197	(repeated) near5 (ID identifier attribute)	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/06 12:06
L6	3218	5 and 3	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/06 12:06
L7	149	5 same (URL hyper\$link links)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 12:06
L8	74	7 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 12:07
L9	1166	identification with session with identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 12:33
L10	0	(identification with session with identifier).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 12:33
L11	1166	(identification with session with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 12:33
L12	540	11 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 12:33

L13	309	12 and (duplicat\$3 replicat\$3 repeat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 12:42
L14	2370	((identification with session with (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 12:42
L15	1122	14 and (duplicat\$3 replicat\$3 repeat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 12:42
L16	641	15 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 12:42
L17	31	rule\$1 with generat\$3 with (session adj (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 12:53
L18	20	17 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 12:53
L19	1	"6295550".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 13:00
L20	6407	((generat\$3 define\$3 "set") with (session with (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 13:16
L21	3355	20 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 13:16
L22	2601	21 and (URL hyper\$link links)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 13:17
L23	414	21 and ((session adj (id identifier)) with (URL hyper\$link links))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 13:17
L24	57903	random same (duplicat\$3 replicat\$3 repeat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 14:23

L25	18880	24 and (URL hyper\$link links)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 14:23
L26	701	25 and (session with (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 14:24
L27	501	26 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 14:24
L28	87803	(repeated duplicated) near5 (number)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 16:41
L29	96318	(repeated duplicated) near5 (number parameter\$1 identifier attribute\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 16:42
L30	492	29 same (session)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 16:42
L31	267	30 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2010/07/06 16:42
L32	38	("4962532" "5003595" "5033076" "5163147" "5241594" "5241599" "5351136" "5416842" "5421006" "5440635" "5655077" "5671354" "5680461" "5684950" "5708780" "5764772" "5793763" "5815665" "5835727" "5845070" "5898780" "5918016" "5933625" "5944824" "5987232" "5991802" "5991810" "6006334" "6011910" "6021496" "6023698" "6041357" "6044155" "6047376" "6092196" "6141687" "6154751" "6549612").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/06 16:59
L33	1	"7296076".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/06 17:08
L34	1	"6856989".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/06 17:21
S1	14366729	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 16:16

S2	95634	crawl\$3 spider	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30
S3	17	"6665658"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 16:38
S4	1	"20030018779"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 16:34
S5	12	S3 and (spider\$3 crawl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 16:39
S6	12	S3 and (spider\$3 crawl\$3) and (index identifier ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 16:43
S7	0	S3 and (spider\$3 crawl\$3) and (index identifier ID) and redundant	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 16:44
S8	1	S3 and (spider\$3 crawl\$3) and (index identifier ID) and redundant	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 17:38
S9	35	("4996642" "5659732" "5701469" "5790426" "5864863" "5875446" "5878233" "5884282" "5913210" "5920859" "6012087" "6078866" "6078914" "6094649" "6167409" "6226630" "6263332" "6263364" "6271840" "6304864" "6351755" "6363377" "6633867" "6665658").PN. OR ("6931397").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:19
S10	58813	"35" and redundant	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:19
S11	11	S9 and redundant	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:20
S12	5056	redundant with (URL link index)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:37
S13	93	S12 and S2	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:38
S14	76	S13 and S1	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:38

S15	620	redundant with (URL link index) with (index identifier ID)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/12 17:30
S16	25	S15 and S2	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:38
S17	20	S16 and S1	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:40
S18	118	redundant with (URL link index) with (parameter identifier ID)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:39
S19	5	S18 and S1 and S2	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:40
S20	1	"20040177015" and crawl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 16:16
S21	95634	crawl\$3 spider	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30
S22	95634	S21	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30
S23	12650	709/223	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30
S24	3238	705/35	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30
S25	11646	hash near5 value	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30
S26	1005	S25 with (URL link index) with (index identifier ID)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/12 17:31
S27	46	S26 and S21	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/12 17:31
S28	14366729	@ad<"20031223" @lad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:31
S29	26	S27 and S28	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/12 17:45

S30	22	fingerprint with S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 18:29
S31	12	S30 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:46
S32	14	fingerprint with (add\$2 insert\$2) with (URL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 18:29
S33	8	S32 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 18:30
S34	6	S33 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 18:30
S35	14449585	@ad<"20031223" @lad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:41
S36	1290	locat\$3 with identif\$3 with session	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:42
S37	215	S36 same URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:44
S38	139	S37 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:44
S39	126	locat\$3 with identif\$3 with session with ID	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:47
S40	17035	((locat\$3 identif\$3) with (session with (ID identif\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:47
S41	4276	((locat\$3 identify identifying) with (session with (ID identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:47

S42	456	S41 same URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:48
S43	317	S42 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:48
S44	7	S43 and (web near2 crawl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:49
S45	6	S43 and (content near5 retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:51
S46	3512	extract\$3 with URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:51
S47	32	S46 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:51
S48	1	"20040177015" and (id identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 17:54
S49	3786	("same" identical) same ((session) with (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:13
S50	3794	("same" identical (occur near5 multiple)) same ((session) with (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:14
S51	2618	S50 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:14
S52	19	S51 and (web near2 crawler\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:14
S53	86	S51 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:17

S54	342	((identical (occur near5 multiple)) same ((session) with (id identifier)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:18
S55	11	S54 and S35 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:19
S56	1	"6665658".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:30
S57	1	"20040177015" and session	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:38
S58	76	remov\$3 with session with identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:43
S59	2	"6952730"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 20:12
S60	1	"6665658".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:31
S61	0	"6665658".pn. and (session near2 identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:31
S62	4	session near2 identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:46
S63	5530	session near2 id	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:47
S64	706	S63 same (URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:47
S65	14449585	@ad<"20031223" @rad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:47

S66	14449585	S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:47
S67	508	S65 and S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:48
S68	86	S67 and (search near2 engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 22:00
S69	3690	(locat\$3 identify identified look) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:07
S70	991	S69 and URL and (web near2 page)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:08
S71	14451055	@ad<"20031223" @lad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:12
S72	728	S70 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:12
S73	134	S72 and (search near2 engine)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:13
S74	27	(random with characters) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:22
S75	0	S73 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:24
S76	6	S74 and URL and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:24
S77	20	S69 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:37

S78	16	S77 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:38
S79	0	search same (random with characters) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:40
S80	1	(locat\$3 same (random with characters) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:41
S81	2450	((locat\$3 identify identified look) with (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:42
S82	430	(characteristic character) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:42
S83	185	S81 and 14'	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:42
S84	185	S81 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:42
S85	123	S84 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:42
S86	23366	(session nears (id identifier)) same (URL)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:43
S87	48	S85 and S86	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:43
S88	14451055	@ad<"20031223" @rad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
S89	2450	((locat\$3 identify identified look) with (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56

S90	430	(characteristic character) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
S91	185	S89 and S90	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
S92	123	S91 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
S93	23366	(session nears (id identifier)) same (URL)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
S94	48	S92 and S93	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
S95	0	709/223.ccls. and S94	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
S96	6	709/223.ccls. and S90	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:57
S97	14453244	16and S88	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:57
S98	4	S96 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:57
S99	2	"20040042464" "7313623".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 13:16
S100	14	"20040042464" "7313623".pn. "1552408"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 13:18
S101	0	"1552408"	EPO	OR	ON	2008/04/29 13:18

S102	2615	identif\$3 with (session near2 identif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:15
S103	178	S102 same URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:15
S104	317	S102 same (URL hyper\$links)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:15
S105	14495099	@ad<"20031223" @lad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:15
S106	224	S105 and S104	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:16
S107	248	identif\$3 with "UID" same (URL hyper\$links link\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:21
S108	169	S107 and S105	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:21
S109	122	S108 and (URL hyper\$links)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:22
S110	130	identif\$3 with "UID" with (URL hyper\$links link\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:25
S111	89	S110 and S105	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:25
S112	52470	identif\$3 with (URL hyper\$links link\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:26
S113	391	(identif\$3 locat\$3) with (URL hyper\$links with (session near2 (identifier\$1 id\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:27

S114	266	S113 and S105	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:27
S115	0	session near2 (identifier\$1 id\$1) with (sub\$string\$1) with (multiple repetitive)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:32
S116	0	(locat\$3 identif\$3) with (session near2 (identifier\$1 id\$1)) same (multiple repetitive)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:32
S117	0	(locat\$3 identif\$3) with (session near2 (identifier\$1 id\$1)) and (sub\$string) with (multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:34
S118	324	(sub\$string) with (multiple repeat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:35
S119	189	S118 and S105	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:35
S120	18	S119 and (URL hyper\$links)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:35
S121	503	(session near2 (identifier\$1 id\$1)) with (multiple repeat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:37
S122	355	S121 and S105	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:37
S123	18	S120 and (URL hyper\$links)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:38
S124	146	S122 and (URL hyper\$links)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:38
S125	240	(locat\$3 identif\$4) near5 (session near2 (identifier\$1 id\$1)) with (multiple repeat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:39

S126	157	S125 and S105	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:40
S127	51	S126 and (URL hyper\$links)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:40
S128	48	S126 and (URL hyper\$links with (session near2 (id\$1 identifier\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:42
S129	1	"6225995".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:08
S130	0	((locat\$3 identif\$3) with (session near2 (identifier\$1 id\$1)) and (session near2 (identifier\$1 id\$1) with (sub\$set sub\$string)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:16
S131	0	((locat\$3 identif\$3) with (session near2 (identifier\$1 id\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:16
S132	51	((locat\$3 identif\$4) near5 (session near2 (identifier\$1 id\$1)) and ((session near2 (identifier\$1 id\$1)) with (sub\$set sub\$string)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:17
S133	14495099	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:18
S134	40	S132 and S133	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:18
S135	5321	((locat\$3 identif\$4) near5 (session near2 (identifier\$1 id\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:19
S136	60	((session near2 (identifier\$1 id\$1)) with (sub\$set sub\$string))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:19
S137	51	S135 and S136	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:20

S139	728	(URL hyperlink) with (subset sub\$string)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:22
S140	48	S135 and S139 and S133	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:22
S141	3	"6343313".pn. "5970490".pn. "6263432".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:34
S142	12	multiple near2 occuranc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:43
S143	0	S142 same (subset sub\$string)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:43
S144	4119	multiple near2 occurrence\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:44
S145	49	S144 same (subset sub\$string)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:44
S146	31	S145 and S133	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:44
S147	0	S144 same (session near2 (identifier id))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:45
S148	1	"20040177015"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:50
S149	1	"20040158429"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:38
S150	1	"20040177015"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:42

S151	0	10/743547	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/15 15:25
S152	0	"louz-on".inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/15 15:49
S153	17419	709/225,226,227,228,229,230.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/15 16:05
S154	306	S153 and (crawl\$3 spider\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/15 16:05
S155	29	S154 and session near2 (id identifier\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/15 16:05
S156	1611	((monitor\$3 track\$3 ident\$3) same (multipl \$3 repeat\$3) same (session near5 (id identifier substring\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:15
S157	1808	((monitor\$3 track\$3 ident\$3) same (multipl \$3 repeat\$3) same (session near5 (id identifier substring\$1) substring\$1 sub\$string \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:15
S158	88	S157 and (crawl\$3 spider\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:15
S159	14539097	@ad<"20031223" @riad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:16
S160	71	S158 and S159	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:16
S161	177	((monitor\$3 track\$3 ident\$3) same ((multipl \$3 repeat\$3) with (occurrence\$1 appear\$5 time\$1)) same (session near5 (id identifier substring\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:18
S162	85	S161 and S159	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:18

S163	9978	((classif\$3 classification) with (session (id identifier)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:29
S164	132328	((classif\$3 classification identify\$3) with (session (id identifier)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:29
S165	1445	S164 same ((multi\$3 repeat\$3) with (occurrence\$1 appear\$5 time\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:30
S166	866	S165 and S159	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:30
S167	29519	web near2 content	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:30
S168	49	S165 and S167	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:30
S169	74	((sub\$string\$1 substring\$1) with ((multi\$3 repeat\$3) with (occurrence\$1 appear\$5 time\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:38
S170	47	S169 and S159	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:38
S171	0	((session with (id identifier\$1)) with (sub\$string\$1 substring\$1) with ((multi\$3 repeat\$3) with (occurrence\$1 appear\$5 time\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:47
S172	0	((session with (id identifier\$1)) with (sub\$string\$1 substring\$1) same ((multi\$3 repeat\$3) with (occurrence\$1 appear\$5 time\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:47
S173	0	((session with (id identifier\$1)) same (sub\$string\$1 substring\$1) same ((multi\$3 repeat\$3) with (occurrence\$1 appear\$5 time\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:48
S174	29	S165 and (crawl\$3 spider\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:49

S175	15	S174 and S159	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:49
S176	30046	search near2 engine	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:39
S177	270	((multi\$3 repeat\$3) with (occurrence\$1 appear\$5 time\$1)) same (session near5 (id identifier substring\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:40
S178	12144	((multi\$3 repeat\$3) with (occurrence\$1 appear\$5 time\$1) with (string\$1 scheme\$1 tab\$1 sub\$string\$1 substring URL cookies cookie)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:43
S179	14539097	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:43
S180	8387	S178 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:43
S181	256	S180 and S176	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:43
S182	32392	((multi\$3 repeat\$3 "same" similar) with (occurrence\$1 appear\$5 time\$1) with (string\$1 scheme\$1 tab\$1 sub\$string\$1 substring URL cookies cookie)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:44
S183	32398	((multi\$3 repeat\$3 "same" similar) with (occurrence\$1 appear\$5 time\$1) with (string\$1 scheme\$1 tab\$1 sub\$string\$1 substring \$1 sub-link\$1 sublink\$1 URL cookies cookie)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:44
S184	557	S183 and S176 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:44
S185	125	S184 and (spider\$3 crawler\$1 crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:45
S186	2821	((identify\$3 identified track\$3 discover\$3 classified classifying) with (session near2 (id \$1 identifier\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:57

S187	3	S185 and S186	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:57
S188	30641	((multi\$3 repeat\$3 "same" similar) with (occurrence\$1 appear\$5 time\$1) with (string\$1 scheme\$1 tab\$1 sub\$string\$1 substring\$1 sub-link\$1 sublink\$1 ((section portion) near5 (URL cookies cookie)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:59
S189	48	S188 and S186	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:59
S190	26	S189 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:59
S191	180129	((multi\$3 repeat\$3 "same" similar) with (string\$1 scheme\$1 tab\$1 sub\$string\$1 substring\$1 sub-link\$1 sublink\$1 ((section portion part) near5 (URL cookies cookie)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:01
S192	2251	S191 and S179 and S176	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:01
S193	358	S192 and (spider\$3 crawler\$1 crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:02
S194	299	S193 and (URL\$1 cookies cookie)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:13
S195	276	("same" duplicat\$3 multiple repeat\$3) with (string near2 representation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:19
S196	4	S195 and (spider\$3 crawler\$1 crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:19
S197	4	S196 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:19
S198	267	((identify\$3 identified track\$3 discover\$3 classified classifying) with (duplicat\$3 multiple repeat\$2 "same") with (session near2 (id\$1 identifier\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:25

S199	33997	((delete\$3 pruned\$3 prune\$1) with (session (id identifier)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:26
S200	33997	S199 and S199	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:26
S201	38	S199 and S198	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:26
S202	18	S201 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:26
S203	316	((delete\$3 pruned\$3 prune\$1) with (session near2 (id identifier)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:28
S204	18	S198 and S199 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:29
S205	20	S198 and (spider\$3 crawler\$1 crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:33
S206	19	S205 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:33
S207	271	((identify\$3 identified track\$3 discover\$3 classified classifying classify) with (duplicate\$3 multiple repeat\$2 "same") with (session near2 (id\$1 identifier\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:35
S208	4	S207 not S198	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:35
S209	183	((identify\$3 identified track\$3 discover\$3 classified classifying classify) with (duplicate\$3 multiple repeat\$2) same (session near2 (id\$1 identifier\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:36
S210	134	S209 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:36

S211	6	S210 and S203	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:37
S212	19	S210 and (spider\$3 crawler\$1 crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:38
S213	51	S210 and (URL hyperlink\$3 hyper\$link\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:39
S214	289366	(recurring duplicat\$3 multiple repeat\$3) near5 (pattern representation sub\$string portion section tag\$1 attribute\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:47
S215	3068	S214 and (spider\$3 crawler\$1 crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:47
S216	1783	S215 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:47
S217	469	S216 and URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:47
S218	493	S216 and (URL hyperlink\$3 hyper\$link\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:48
S219	35	S218 and (session near2 (id\$1 identifier\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:49
S220	1	"20040177015"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 18:05
S221	0	2004/0117349	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 18:06
S222	1	"20040117349"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 18:06

S223	165	parameter\$1 with URL with (session near2 (ID identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 19:03
S224	97	S223 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 19:03
S225	14540040	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:10
S226	4710	(identify\$3 identified track\$3 discover\$3 classified classifying classify locat\$3 search \$3 discover\$3 spotting determin\$3 quer\$3 match\$3 mapping map recogniz\$3) with (session near2 (id\$1 identifier\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:16
S227	2797	S225 and S226	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:16
S228	889	URL with (session near2 (id\$1 identifier\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:16
S229	289558	(recurring duplicat\$3 multiple repeat\$3) near5 (pattern representation sub\$string portion section tag\$1 attribute\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:17
S230	38	S227 and S228 and S229	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:18
S231	102945	crawl\$3 spider	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:24
S232	11	S230 and S231	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:24
S233	289585	(recurring duplicat\$3 multiple repeat\$3) near5 (pattern representation sub\$string portion section tag\$1 attribute\$1 occurrence\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:25
S234	30	S227 and S228 and S231	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:26

S235	11	S233 and S234	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:26
S236	507404	{(recurring duplicat\$3 multiple repeat\$3) with (pattern representation sub\$string portion section tag\$1 attribute\$1 occurrence \$1)}	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:26
S237	11	S236 and S234	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:26
S238	19	S234 not S237	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:27
S239	624	{(re\$write rewrite prun\$3 normaliz\$3) with URL\$1}	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:28
S240	1054	{(re\$writ\$3 rewrite prun\$3 normaliz\$3) with URL\$1}	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:28
S241	84	S240 and S226 and S228	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:29
S242	61	S241 and S225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:29
S243	278	S226 and S229 and S225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:30
S244	23	S243 and S231	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:30
S247	4467	{(recurring duplicat\$3 multiple repeat\$3) with (URL\$1 hyperlink\$1 hyperlink\$1)}	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:34
S248	207	S240 and S247	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:34

S249	133	S248 and S225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:34
S250	22	S249 and S226	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:34
S251	2	{(((identify\$3 identified track\$3 discover\$3 classified classifying classify local\$3 search \$3 discover\$3 spotting determin\$3 quer\$3 match\$3 mapping map recogniz\$3)) with {session near2 (id\$1 identifier\$1)}).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:48
S252	655	method with (((identify\$3 identified track\$3 discover\$3 classified classifying classify local \$3 search\$3 discover\$3 spotting determin\$3 quer\$3 match\$3 mapping map recogniz\$3) with (session near2 (id\$1 identifier\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:49
S253	338	S252 and S225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:49
S254	64	S252 same URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:49
S255	35	S254 and S225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:49
S256	1	"5835712".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:56
S257	315773	(recurring duplicat\$3 multiple repeat\$3) near5 (pattern representation sub\$string portion section tag\$1 attribute\$1 occurrence \$1 parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:58
S258	4710	{(((identify\$3 identified track\$3 discover\$3 classified classifying classify local\$3 search \$3 discover\$3 spotting determin\$3 quer\$3 match\$3 mapping map recogniz\$3)) with {session near2 (id\$1 identifier\$1)}))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:58
S259	358	S257 and S258 and S225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:58
S260	165	S259 and URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 11:01

S261	11	S260 and S240	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 11:02
S262	74	(normalization) with URL\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 11:04
S263	15	S262 and S257 and S225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 11:04
S264	0	"20040158429" and crawl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 11:54
S265	1	"20040158429" and spider\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 11:54
S266	0	"20040158429" and extract\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 11:55
S267	1	10/742655	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 14:29
S268	0	"200402555291"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 14:37
S269	2	"20040255291"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 14:40
S270	1	"20040117349"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 15:56
S271	0	10/743547	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:12
S272	1	"6952730".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:20

S273	111	append\$3 with (normaliz\$3 re\$writ\$3 rewrit\$4 new) with URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:42
S274	102	((append\$3 add\$3) with (normaliz\$3 re\$writ\$3 rewrit\$4 new) with URL\$1 with (session (id identifier\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:43
S275	14540040	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:43
S276	66	S274 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:43
S277	3	S276 and (spider\$3 crawler crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:47
S278	0	substitute with (session (id identifier)) with (back) with URL\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:49
S279	130	((append\$3 add\$3) near5 (session (id identifier\$1))) same (normaliz\$3 re\$writ\$3 rewrit\$4 new) with (URL\$1 hyperlink\$1 hyperlink\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:51
S280	103	S279 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:51
S281	15	S280 and (spider\$3 crawler crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:51
S282	192	((normaliz\$3) with (URL\$1 hyperlink\$1 hyperlink\$1 URL\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:59
S283	52233	((append\$3 add\$3) near5 (session (id identifier\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:00
S284	15	S282 and S283	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:00

S285	10	S284 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:00
S286	27499	((append\$3 add\$3) near2 (session (id identifier\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:03
S287	330	S286 and (spider\$3 crawler crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:04
S288	166	S287 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:04
S289	60	((append\$3 add\$3) near2 (session (id identifier\$1))) same (normaliz\$3 re\$writ\$3 rewrit\$4 new) with (URL\$1 hyper\$link\$1 hyperlink\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:05
S290	45	S289 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:05
S291	57341	"45" and (spider\$3 crawler crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:05
S292	1	S290 and (spider\$3 crawler crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:06
S293	415	((append\$3 add\$3) near2 (session (id identifier\$1))) with (URL\$1 hyper\$link\$1 hyperlink\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:08
S294	309	S293 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:08
S295	10	S294 and (spider\$3 crawler crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:09
S296	268	((appending append add\$3 restor\$3) near2 (session (id identifier\$1))) with (URL\$1 hyper\$link\$1 hyperlink\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:11

S297	14	S296 and (spider\$3 crawler crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:11
S298	6	S297 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:11
S299	10	((append append add\$3 restor\$3) with S282	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:13
S300	54	((normaliz\$3 absolut\$3 normalization) with (URL\$1 hyper\$link\$1 hyperlink\$1 URI)) same (cooki\$2 token\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:34
S301	35	S300 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:35
S302	61	((normaliz\$3 absolut\$3 normalization) with (URL\$1 hyper\$link\$1 hyperlink\$1 URI)) same (cooki\$2 token\$1 sid)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:36
S303	41	S302 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:36
S304	14580239	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:07
S305	350595	classify classifying classification categorizing categoriz\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:08
S306	11920	sessionID (session near2 (identifier\$1 ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:09
S307	231	S305 same S306	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:10
S308	157	S307 and S304	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:10

S309	1	"20040158429".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:10
S310	7341896	multiple plurality many	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:15
S311	153	S308 and S310	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:16
S312	11968	sessionID (session near2 (identifier\$1 ID classifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:17
S313	2896	S312 same S310	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:17
S314	688	S313 and S305	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:17
S315	103	S314 and S307	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:17
S316	829	((rules policies) same S312	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:19
S317	425	S316 and S304	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:19
S318	6153620	general\$3 creat\$3 or S305	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:36
S319	6153620	general\$3 creat\$3 or S305	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:36
S320	5314	S319 same S312	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:36

S321	341	(rules policies) same S320	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:37
S322	215	S321 and S304	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:37
S323	119818	URL hyperlink\$1 ((hyper web) near2 links)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:39
S324	143	S322 and S323	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:39
S325	5122042	((recurring recurred duplicat\$3 multiple repeat\$3 again)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:48
S326	138	S324 and S325	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:48
S327	52	S326 and (hash hashing)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:49
S328	30546	((recurring recurred duplicat\$3 multiple repeat\$3 again) with string\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:29
S331	31157	((recurring recurred duplicat\$3 multiple repeat\$3 again) with \$string\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:30
S332	404	S323 same S331	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:30
S333	277	S332 and S304	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:30
S334	20	S333 and S312	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:33

S335	232	(recurring recurred duplicat\$3 multiple repeat\$3 again) with (query near2 string\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:48
S336	148	S335 and S304	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:48
S337	321	(common "same") with (query near2 string \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:53
S338	206	S337 and S304	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:53
S339	12	60/201622	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:57
S340	7	S339 and S323	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 16:40
S341	125	S338 and S323	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 16:41
S343	14581060	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:41
S344	11988	sessionID (session near2 (identifier\$1 ID classifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:42
S345	119992	URL hyperlink\$1 ((hyper web) near2 links)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:43
S346	537	(determin\$3 identifying identified locating locate\$1) same S344 same S345	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:44
S347	705	(determin\$3 identifying identified identify locating locate\$1) same S344 same S345	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:44

S348	448	S347 and S343	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:45
S349	6254	web near2 (mining crawler crawling spidering spider)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:46
S350	3239	S349 and S343	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:47
S351	18	S350 and S348	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:47
S352	224	(determin\$3 identifying identified identify locating locate\$1) with S344 with S345	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:50
S353	8	S352 same (rules)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:51
S354	11988	sessionID (session near2 (identifier\$1 ID classifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:21
S355	14581060	@ad<"20031223" @lad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:21
S356	119992	URL hyperlink\$1 ((hyper web) near2 links)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:21
S357	224	(determin\$3 identifying identified identify locating locate\$1) with S354 with S356	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:21
S358	121445	URL\$1 hyperlink\$1 ((hyper web) near2 links)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:22
S359	224	S357 with S358 with S354	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:22

S360	152	S359 and S355	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:22
S361	5396	extract\$3 with S358	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:23
S362	25	S360 and S361	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:23
S363	1	"5708780".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:26
S364	624	("5708780").URPN.	USPAT	OR	ON	2009/12/29 14:32
S365	522	extract\$3 with S354	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:36
S366	20	S360 and S365	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:36
S367	301	S365 and S355	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:36
S368	147467	sessionID (session near2 (identifier\$1 ID classifier)) \$ID	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:39
S369	1180	S368 with S356	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:39
S370	58	S369 and S367	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:39
S371	112	candidate\$1 with S368	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:05

S372	75	S371 and S355	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:05
S373	1	S372 and S358	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:07
S374	473	repeat\$3 with S368	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:07
S375	39	S374 and S358	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:08
S376	21	S375 and S355	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:08
S377	0	repeat\$3 with ("5"\$string\$1 parameter\$1) with S358 with S368	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:13
S378	0	repeat\$3 with (*string\$1 parameter\$1) with S358 with S368	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:13
S379	214	(*string\$1 parameter\$1) with S358 with S368	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:13
S380	120	S379 and S355	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:13
S381	23	repeat\$3 with (*string\$1 parameter\$1) with S358	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:14
S382	12	S381 and S355	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:14
S383	79	repeat\$3 with (page near2 ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:21

S384	68	S383 and S355	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:21
S385	1	"20040093562".pn. and substring\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:55
S386	0	"20090049171".pn. and hash	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:58
S387	0	"20090049171".pn. and hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:59
S388	1	"20080183870".pn. and hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:59
S389	1	"7308501".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 16:54
S390	13	("4823345" "5973696" "6185598" "6223222" "6374300" "6389419" "6421730" "6499110" "6665725" "6788647" "6834112" "6857067" "6925085").PN. OR ("7308501").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:06
S391	13	S390 and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:07
S392	5446	{compar\$5 or match\$4} near14 urls	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:08
S393	2954158	{compar\$5 or match\$4} near14 urls (character\$1 or id\$1 or identifier\$1 or string \$1)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:10
S394	1068	{compar\$5 or match\$4} near14 urls near10 (character\$1 or id\$1 or identifier\$1 or string \$1)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:10
S395	4	{compar\$5 or match\$4} near14 urls near10 (character\$1 or id\$1 or identifier\$1 or string \$1) near5 (repeat\$4 or occurrence\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:12
S396	3	{compar\$5 or match\$4} near14 urls near10 (character\$1 or id\$1 or identifier\$1 or string \$1) near5 (repeat\$4 or occurrence\$4) and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:12
S397	795	{compar\$5 or match\$4} near14 (character\$1 or id\$1 or identifier\$1 or string\$1) near2 urls	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:15

S398	195	{(compar\$5 or match\$4) near14 (character\$1 or id\$1 or identifier\$1 or string\$1) near2 urls and (character\$1 or id\$1 or identifier\$1 or string\$1) same session\$1}	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:16
S399	149	{(compar\$5 or match\$4) near14 (character\$1 or id\$1 or identifier\$1 or string\$1) near2 urls and (character\$1 or id\$1 or identifier\$1 or string\$1) near15 session\$1}	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:16
S400	89	{(compar\$5 or match\$4) near14 (character\$1 or id\$1 or identifier\$1 or string\$1) near2 urls and (character\$1 or id\$1 or identifier\$1 or string\$1) near15 session\$1 near2 (identifier\$1 or id\$1 or token\$1)}	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:17
S401	77	{(compar\$5 or match\$4) near14 (character\$1 or id\$1 or identifier\$1 or string\$1) near2 urls and (character\$1 or id\$1 or identifier\$1 or string\$1) near15 session\$1 near2 (identifier\$1 or id\$1 or token\$1) and S355}	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:17
S402	49	{(compar\$5 or match\$4) near14 (character\$1 or string\$1) near2 urls and (character\$1 or id\$1 or identifier\$1 or string\$1) near15 session\$1 near2 (identifier\$1 or id\$1 or token\$1) and S355}	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:17
S403	14	{(compar\$5 or match\$4) near14 (character\$1 or string\$1) near2 urls and (character\$1 or string\$1) near15 session\$1 near2 (identifier\$1 or id\$1 or token\$1) and S355}	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:18
S404	14	{(compar\$5 or match\$4) near14 (character\$1 or string\$1) near2 urls and (character\$1 or string\$1) near15 session\$1 near2 (identifier\$1 or id\$1 or token\$1) and S355}	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:21
S405	14	{(compar\$5 or match\$4) near14 (character\$1 or string\$1) near10 "urls" and (character\$1 or string\$1) near15 session\$1 near2 (identifier\$1 or id\$1 or token\$1) and S355}	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:23
S406	0	{(compar\$5 or match\$4) near14 (character\$1 or string\$1) near10 "urls" and (character\$1 or string\$1) near15 session\$1 near2 (identifier\$1 or id\$1 or token\$1) and S355 not S404}	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:23
S407	0	{(compar\$5 or match\$4) near14 random\$5 near10 "urls" and (character\$1 or string\$1) near15 session\$1 near2 (identifier\$1 or id\$1 or token\$1) and S355 not S404}	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:24
S408	1	{(compar\$5 or match\$4) near14 random\$5 near10 "urls" near15 (identifier\$1 or id\$1 or token\$1) and S355 not S404}	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:24
S409	1	{(compar\$5 or match\$4) near14 random\$5 near2 (character\$1 or string\$1) near10 "urls" and S355 not S404}	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:26
S410	400	{(compar\$5 or match\$4) near14 (character\$1 or string\$1) near10 "urls" and S355 not S404}	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:26
S411	340	{(compar\$5 or match\$4) near14 (character\$1 or string\$1) near3 "urls" and S355 not S404}	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:27
S412	27	{(compar\$5 or match\$4) near14 (character\$1 or string\$1) near3 "urls" same repeat\$5}	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:27

S413	23	{compar\$5 or match\$4} near14 (character\$1 or string\$1) near3 "urls" same repeat\$5 and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:27
S414	3	{compar\$5 or match\$4} near14 (character\$1 or string\$1) near3 "urls" same repeat\$5 and S355 and repeat\$4 near10 match\$4	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:32
S415	2	{compar\$5 or match\$4} near14 (character\$1 or string\$1) near3 (hyperlinks or links) same repeat\$5 and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:40
S416	111	repeat\$4 near10 (id\$1 or identifier\$1 or string\$1) near14 (hyperlinks or links) same repeat\$5 and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:43
S417	111	repeat\$4 near10 (id\$1 or identifier\$1 or string\$1) near14 (hyperlinks or links) and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:43
S418	150	repeat\$4 near10 (id\$1 or identifier\$1 or string\$1) near14 (hyperlinks or links or urls) and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:43
S419	5	repeat\$4 near10 (id\$1 or identifier\$1 or string\$1) near14 (hyperlinks or links or urls) and S355 and (id\$1 or identifier\$1 or string\$1) near15 session	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:44
S420	51	repeat\$4 near10 (id\$1 or identifier\$1 or string\$1) near14 (hyperlinks or links or urls) and S355 and session	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:45
S421	61	identif\$6 near15 repeat\$4 near10 (hyperlinks or links or urls) and S355 and session	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:57
S422	7	identif\$6 near15 repeat\$4 near10 string\$1 near15 (hyperlinks or links or urls) and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:58
S423	23	repeat\$4 near10 string\$1 near15 (hyperlinks or links or urls) and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:59
S424	16	repeat\$4 near10 string\$1 near15 (hyperlinks or links or urls) and S355 not S422	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:59
S425	2	repeat\$4 near10 string\$1 near15 web near page and S355 not S422	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 18:04
S426	0	repeat\$4 near10 string\$1 near15 (uris) and S355 not S422	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 18:06
S427	0	repeat\$4 near10 string\$1 near15 (uri) and S355 not S422	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 18:07
S428	14581060	@ad<"20031223" @rad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 22:26
S429	1993822	"appear more than once" or (repeat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 22:32

S430	121445	URL\$1 hyperlink\$1 ((hyper web) near2 (links)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 22:33
S431	1060	S429 with S430	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 22:33
S432	757	S431 and S428	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 22:33
S433	553	S429 near5 S430	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 22:35
S434	421	S433 and S428	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 22:36
S435	216	S434 and (rules filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 22:41
S436	0	"appear more than once"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:43
S437	0	"more than once"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:43
S438	0	"more" near2 "than" near2 "once"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:44
S439	0	"more" adj "than" adj "once"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:44
S440	8	sub.*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:46
S441	0	sub* with S430	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:46

S442	20840	appear near15 once	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:50
S443	67	S442 with S430	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:51
S444	51	S443 and S428	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:51

7/ 6/ 2010 5:28:47 PM

C:\Documents and Settings\ktang4\My Documents\EAST\Workspaces\10743547.wsp